

What is claimed is:

1. An apparatus, comprising:
 - a base member;
 - a front sidewall attached to said base member;
 - a rear sidewall spaced from said front sidewall and
 - 5 attached to said base member;
 - a left end wall attached to said base member and to said front and rear sidewalls;
 - a right end wall spaced from said left end wall and attached to said base member and to said front and rear
 - 10 sidewalls; and
 - a lid spaced from said base member and attached to said front and rear sidewalls, left end wall and right end wall forming a tank, said tank having a water inlet and a water outlet.
- 15 2. An apparatus, as set forth in claim 1, including at least one leg attached to said base member and supporting said tank.
3. An apparatus, as set forth in claim 1, wherein said base member has a bottom surface of serpentine configuration.
4. An apparatus, as set forth in claim 1, wherein said base member has a bottom surface defining a series of lands and grooves.
5. An apparatus, as set forth in claim 1, wherein said tank includes an access panel.

6. An apparatus, as set forth in claim 1, wherein said access panel is attached to said top panel.

7. An apparatus, as set forth in claim 1, wherein said access panel is attached to one of said left and right end panels.

8. An apparatus, as set forth in claim 1, wherein said water outlet is threaded to accept a garden hose.

9. An apparatus, as set forth in claim 1, including a drain.

10. An apparatus, as set forth in claim 1, wherein said top panel has an area of horizontal surface for receiving a compressor of an air conditioning unit.

11. An apparatus, as set forth in claim 1, including means for pumping water from said tank through said water outlet.

12. A pad for a plurality of air conditioning compressors, comprising:

a base member;

a front sidewall attached to said base member;

5 a rear sidewall spaced from said front sidewall and attached to said base member;

a left end wall attached to said base member and to said front and rear sidewalls;

a right end wall spaced from said left end wall and
10 attached to said base member and to said front and rear

sidewalls;

15 a lid spaced from said base member and attached to said front and rear sidewalls, left end wall and right end wall forming a tank, said tank having a water inlet and a water outlet, said lid having a plurality of areas of horizontal surface each for receiving a compressor of said plurality of compressors; and

means for pumping water from said tank through said water outlet.

20

13. A pad, as set forth in claim 12, including at least one leg attached to said base member and supporting said tank.

14. A pad, as set forth in claim 12, wherein said base member has a bottom surface of serpentine configuration.

15. A pad, as set forth in claim 12, wherein said base member has a bottom surface defining a series of lands and grooves.

16. A pad, as set forth in claim 12, wherein said tank includes an access panel.

17. A pad, as set forth in claim 12, wherein said access panel is attached to said top panel.

18. A pad, as set forth in claim 12, wherein said access panel is attached to one of said left and right end panels.

19. A pad, as set forth in claim 12, wherein said water outlet is threaded to accept a garden hose.

20. A pad, as set forth in claim 12, including a drain.